



Ladder height at or above 3000mm [118 1/8"] require safety side ralls SL.6052.AK Technical drawings are subject to change without notice.

All millimeter dimensions are exact and supersede inch conversions. Vario Ladder SL 6004 AK H Date Prepared: October 2018 Example:
- Curved rall
- Rail radius on request *Mounting positions may be specified on purchase order. Available wood type:
Maple [SL.6015.A]
Beech [SL.6016.B]
Oak (SL.6016.B]
Wenge [SL.6017.M]
Chesthut [SL.6017.K]
Zebrano [SL.6017.T]
Walnut [SL.6016.K]
Cherry [SL.6016.K] clear lacquered raw (unfinished) waxed Specify wood type and finish on purchase order: Wood Step/Tread > Available finish *max. 900mm [35 7/16"] Prepared By: CDA | JRT 150mm [5 7/8"] 420mm [16 9/16"] 400mm [15 3/4"] 30mm [1 3/16"] SL 6061 K Ø45mm [1 3/4"] May be substituted with SL 6063 AK Ø25mm [1"] \ST.2005.VA ST.2000 ST.2005.R.350 ST 3005 VA 95mm [3 3/4"] 32.5mm [1 1/4"] <u>["91/61 9] mm092</u> ["31\61 9] mm03S ST 2105 VA Δ Rosette Ø50mm [1 15/16] Δ. 4 30mm [1 3/16"] 400mm [15 3/4"] 32.5mm [1 1/4"] Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited. All ladder systems require reinforced walls, cabinets, or shelving. 430mm [15 15/16"]

Ladder helght at or above 3000mm [118 1/8"] require safety side ralls SL.6052.KL Technical drawings are subject to change without notice.
All millimeter dimensions are exact and supersede inch conversions. Date Prepared: October 2018 Vario Ladder SL.6004.KL Example:
- Curved rall
- Rail radius on request *Mounting positions may be specified on purchase order. Ø30mm [1 3/16"] SL 6011 KL / Prepared By: CDA | JRT 150mm [5 7/8"] *max. 900mm [35 7/16"] 430mm [16 15/16"] 400mm [15 3/4"] Ø20mm [13/16"] SL.6061.K /045mm [1 3/4"] May be substituted with SL6063.KL Ø25mm [1"] \ST.2005.VA ST.2000 ST.2005.R.350 ST 3005 VA 95mm [3 3/4"] 32.5mm [1 1/4"] <u>["31\61 9 mm03s</u> 250mm [9 13/16"] Rosette Ø50mm [1 15/16] All ladder systems require reinforced walls, cabinets, or shelving. 32.5mm [1 1/4"] Ø20mm [13/16"] SL 6011 KL

Copyright MWE NA Inc., all rights reserved. Reproduction or other use of these designs without written consent from MWE NA Inc. is prohibited.



